







**EXTRUDE•A•TRIM**  
*The Aluminum Warehouse*

# ASSORTED FIXTURE TRIM



---

**RIGHT SHAPES**

**RIGHT PRICE**

**RIGHT NOW**



| DRAWING             | PART NUMBER        | DESCRIPTION  |
|---------------------|--------------------|--|
| <b>CHANNEL CAP</b>  |                    |  |
|                     | EM 3197            | ALUMINUM CHANNEL CAP FOR 3/4" MATERIAL<br><u>LENGTH</u> <u>FINISH</u><br>12'                                      AN, BC, SS             |
|                     | EM 3198            | ALUMINUM CHANNEL CAP FOR 5/8" MATERIAL<br><u>LENGTH</u> <u>FINISH</u><br>12'                                      AN, BC, SS             |
|                     | EM 7006            | VINYL CHANNEL CAP FOR 3/4" MATERIAL<br><u>LENGTH</u> <u>VINYL COLOUR</u><br>8'                                      ALMOND, BLACK, WHITE |
| <b>CORNER BEAD</b>  |                    |  |
|                     | EM 5432**          | 5/8" CORNER BEAD<br><u>LENGTH</u> <u>FINISH</u><br>12'                                      AN   |
| <b>COUNTER EDGE</b> |                    |  |
|                     | EM 2402<br>EM 2404 | COUNTER EDGING<br><u>LENGTH</u> <u>FINISH</u><br>12'    EM 2402    7/8"    AN, BC<br>12'    EM 2404    1.25"    AN, BC                   |
|                     | EM 2602            | 7/8" COUNTER CENTRE EDGING<br><u>LENGTH</u> <u>FINISH</u><br>12'                                      AN, BC, BS                         |

\*\*Minimum 550 lb. Order.

FINISHES: AN-Anodized, BC-Brite Clear, BK-Brite Black, BS-Brass, BZ-Bronze, ML-Mill, SB-Satin Black, SS-Stainless Steel Brushed

CUSTOMER SERVICE • PHONE: 888-501-8689 FAX: (416) 798-1094



| DRAWING       | PART NUMBER   | DESCRIPTION  |               |               |     |            |
|---------------|---------------|--|---------------|---------------|-----|------------|
| <b>T-EDGE</b> |               |  |               |               |     |            |
|               | EM 3162       | <p>11/16" T-EDGING</p> <table border="0"> <tr> <td><u>LENGTH</u></td> <td><u>FINISH</u></td> </tr> <tr> <td>12'</td> <td>AN</td> </tr> </table>  | <u>LENGTH</u> | <u>FINISH</u> | 12' | AN         |
| <u>LENGTH</u> | <u>FINISH</u> |  |               |               |     |            |
| 12'           | AN            |  |               |               |     |            |
|               | EM 3191       | <p>T-EDGING</p> <table border="0"> <tr> <td><u>LENGTH</u></td> <td><u>FINISH</u></td> </tr> <tr> <td>12'</td> <td>AN, BC, SS</td> </tr> </table> | <u>LENGTH</u> | <u>FINISH</u> | 12' | AN, BC, SS |
| <u>LENGTH</u> | <u>FINISH</u> |  |               |               |     |            |
| 12'           | AN, BC, SS    |  |               |               |     |            |
|               | EM 3192       | <p>T-EDGING</p> <table border="0"> <tr> <td><u>LENGTH</u></td> <td><u>FINISH</u></td> </tr> <tr> <td>12'</td> <td>AN, SS</td> </tr> </table>     | <u>LENGTH</u> | <u>FINISH</u> | 12' | AN, SS     |
| <u>LENGTH</u> | <u>FINISH</u> |  |               |               |     |            |
| 12'           | AN, SS        |  |               |               |     |            |
|               | EM 3193       | <p>T-EDGING</p> <table border="0"> <tr> <td><u>LENGTH</u></td> <td><u>FINISH</u></td> </tr> <tr> <td>12'</td> <td>AN, SS</td> </tr> </table>     | <u>LENGTH</u> | <u>FINISH</u> | 12' | AN, SS     |
| <u>LENGTH</u> | <u>FINISH</u> |  |               |               |     |            |
| 12'           | AN, SS        |  |               |               |     |            |
|               | EM 3194       | <p>T-EDGING</p> <table border="0"> <tr> <td><u>LENGTH</u></td> <td><u>FINISH</u></td> </tr> <tr> <td>12'</td> <td>AN, SS</td> </tr> </table>     | <u>LENGTH</u> | <u>FINISH</u> | 12' | AN, SS     |
| <u>LENGTH</u> | <u>FINISH</u> |  |               |               |     |            |
| 12'           | AN, SS        |  |               |               |     |            |
|               | EM 3195       | <p>T-EDGING</p> <table border="0"> <tr> <td><u>LENGTH</u></td> <td><u>FINISH</u></td> </tr> <tr> <td>12'</td> <td>AN, SS</td> </tr> </table>     | <u>LENGTH</u> | <u>FINISH</u> | 12' | AN, SS     |
| <u>LENGTH</u> | <u>FINISH</u> |  |               |               |     |            |
| 12'           | AN, SS        |  |               |               |     |            |

FINISHES: AN-Anodized, BC-Brite Clear, BK-Brite Black, BS-Brass, BZ-Bronze, ML-Mill, SB-Satin Black, SS-Stainless Steel Brushed

CUSTOMER SERVICE • PHONE: 888-501-8689 FAX: (416) 798-1094

07/15

info@extrude-a-trim.com www.extrude-a-trim.com

4-2



| DRAWING       | PART NUMBER   | DESCRIPTION   |               |               |     |        |
|---------------|---------------|---|---------------|---------------|-----|--------|
| <b>T-EDGE</b> |               |   |               |               |     |        |
|               | EM 3196       | <p style="text-align: center;">T-EDGING</p> <table border="0"> <tr> <td style="text-align: center;"><u>LENGTH</u></td> <td style="text-align: center;"><u>FINISH</u></td> </tr> <tr> <td style="text-align: center;">12'</td> <td style="text-align: center;">AN, SS</td> </tr> </table>        | <u>LENGTH</u> | <u>FINISH</u> | 12' | AN, SS |
| <u>LENGTH</u> | <u>FINISH</u> |   |               |               |     |        |
| 12'           | AN, SS        |   |               |               |     |        |
|               | EM 5431       | <p style="text-align: center;">.312" T-EDGING</p> <table border="0"> <tr> <td style="text-align: center;"><u>LENGTH</u></td> <td style="text-align: center;"><u>FINISH</u></td> </tr> <tr> <td style="text-align: center;">12'</td> <td style="text-align: center;">AN</td> </tr> </table>      | <u>LENGTH</u> | <u>FINISH</u> | 12' | AN     |
| <u>LENGTH</u> | <u>FINISH</u> |   |               |               |     |        |
| 12'           | AN            |   |               |               |     |        |
|               | EM 5481       | <p style="text-align: center;">13/16" T-EDGING</p> <table border="0"> <tr> <td style="text-align: center;"><u>LENGTH</u></td> <td style="text-align: center;"><u>FINISH</u></td> </tr> <tr> <td style="text-align: center;">12'</td> <td style="text-align: center;">AN</td> </tr> </table>     | <u>LENGTH</u> | <u>FINISH</u> | 12' | AN     |
| <u>LENGTH</u> | <u>FINISH</u> |   |               |               |     |        |
| 12'           | AN            |   |               |               |     |        |
|               | EM 5482       | <p style="text-align: center;">13/16" T-EDGING</p> <table border="0"> <tr> <td style="text-align: center;"><u>LENGTH</u></td> <td style="text-align: center;"><u>FINISH</u></td> </tr> <tr> <td style="text-align: center;">12'</td> <td style="text-align: center;">AN, BC</td> </tr> </table> | <u>LENGTH</u> | <u>FINISH</u> | 12' | AN, BC |
| <u>LENGTH</u> | <u>FINISH</u> |   |               |               |     |        |
| 12'           | AN, BC        |   |               |               |     |        |
|               | EM 5484       | <p style="text-align: center;">1 1/4" T-EDGING</p> <table border="0"> <tr> <td style="text-align: center;"><u>LENGTH</u></td> <td style="text-align: center;"><u>FINISH</u></td> </tr> <tr> <td style="text-align: center;">12'</td> <td style="text-align: center;">AN, BC</td> </tr> </table> | <u>LENGTH</u> | <u>FINISH</u> | 12' | AN, BC |
| <u>LENGTH</u> | <u>FINISH</u> |   |               |               |     |        |
| 12'           | AN, BC        |   |               |               |     |        |

FINISHES: AN-Anodized, BC-Brite Clear, BK-Brite Black, BS-Brass, BZ-Bronze, ML-Mill, SB-Satin Black, SS-Stainless Steel Brushed

CUSTOMER SERVICE • PHONE: 888-501-8689 FAX: (416) 798-1094







| DRAWING            | PART NUMBER   | DESCRIPTION   |               |               |     |            |
|--------------------|---------------|---|---------------|---------------|-----|------------|
| <b>DRAWER PULL</b> |               |   |               |               |     |            |
|                    | EM 3202       | <p>3/4" DRAWER PULL</p> <table> <tr> <td><b>LENGTH</b></td> <td><b>FINISH</b></td> </tr> <tr> <td>12'</td> <td>AN, BC, SS</td> </tr> </table> | <b>LENGTH</b> | <b>FINISH</b> | 12' | AN, BC, SS |
| <b>LENGTH</b>      | <b>FINISH</b> |   |               |               |     |            |
| 12'                | AN, BC, SS    |   |               |               |     |            |
|                    | EM 4150       | <p>DRAWER PULL</p> <table> <tr> <td><b>LENGTH</b></td> <td><b>FINISH</b></td> </tr> <tr> <td>12'</td> <td>AN</td> </tr> </table>              | <b>LENGTH</b> | <b>FINISH</b> | 12' | AN         |
| <b>LENGTH</b>      | <b>FINISH</b> |   |               |               |     |            |
| 12'                | AN            |   |               |               |     |            |
| <b>SLOTWALL</b>    |               |   |               |               |     |            |
|                    | EM 0195       | <p>ALUMINUM SLOTWALL INSERT</p> <table> <tr> <td><b>LENGTH</b></td> <td><b>FINISH</b></td> </tr> <tr> <td>8'</td> <td>ML</td> </tr> </table>  | <b>LENGTH</b> | <b>FINISH</b> | 8'  | ML         |
| <b>LENGTH</b>      | <b>FINISH</b> |   |               |               |     |            |
| 8'                 | ML            |   |               |               |     |            |
|                    | EM 0197       | <p>ALUMINUM SLOTWALL INSERT</p> <table> <tr> <td><b>LENGTH</b></td> <td><b>FINISH</b></td> </tr> <tr> <td>8'</td> <td>ML</td> </tr> </table>  | <b>LENGTH</b> | <b>FINISH</b> | 8'  | ML         |
| <b>LENGTH</b>      | <b>FINISH</b> |   |               |               |     |            |
| 8'                 | ML            |   |               |               |     |            |
|                    | EM 0206       | <p>ALUMINUM SLOTWALL INSERT</p> <table> <tr> <td><b>LENGTH</b></td> <td><b>FINISH</b></td> </tr> <tr> <td>8'</td> <td>ML</td> </tr> </table>  | <b>LENGTH</b> | <b>FINISH</b> | 8'  | ML         |
| <b>LENGTH</b>      | <b>FINISH</b> |   |               |               |     |            |
| 8'                 | ML            |   |               |               |     |            |

FINISHES: AN-Anodized, BC-Brite Clear, BK-Brite Black, BS-Brass, BZ-Bronze, ML-Mill, SB-Satin Black, SS-Stainless Steel Brushed

CUSTOMER SERVICE • PHONE: 888-501-8689 FAX: (416) 798-1094



| DRAWING         | PART NUMBER | DESCRIPTION   |
|-----------------|-------------|---|
| <b>SLOTWALL</b> |             |   |
|                 | EM 0208     | ALUMINUM SLOTWALL INSERT<br><b>LENGTH</b> <b>FINISH</b><br>4'    ML<br>8'    ML |
|                 | EM 0300     | VINYL DECORATIVE SLOTWALL INSERT<br><b>LENGTH</b> <b>COLOUR</b><br>8'    BLACK<br><br>MINIMUM ORDER 330 PIECES.           |
|                 | EM 0700     | SLOTWALL INTER-LOCKING PANEL<br><b>LENGTH</b> <b>FINISH</b><br>146"    ML   |
|                 | EM 1064     | ALUMINUM SLOTWALL INSERT<br><b>LENGTH</b> <b>FINISH</b><br>97"    ML  |
|                 | EM 1074     | ALUMINUM SLOTWALL INSERT<br><b>LENGTH</b> <b>FINISH</b><br>97"    ML  |
| <b>TRIM CAP</b> |             |   |
|                 | EM 0142     | ALUMINUM 3/4" TRIM CAP<br>FLEXIBLE TO MOULD AROUND TIGHT RADIUS<br><b>LENGTH</b> <b>FINISH</b><br>12'    BC               |

FINISHES: AN-Anodized, BC-Brite Clear, BK-Brite Black, BS-Brass, BZ-Bronze, ML-Mill, SB-Satin Black, SS-Stainless Steel Brushed

CUSTOMER SERVICE • PHONE: 888-501-8689 FAX: (416) 798-1094





| DRAWING            | PART NUMBER | DESCRIPTION   |        |        |     |             |     |        |
|--------------------|-------------|---|--------|--------|-----|-------------|-----|--------|
| <b>CHANNEL</b>     |             |   |        |        |     |             |     |        |
|                    | IE 1615     | CHANNEL FITS INTO CP0308 FOR APPLICATION<br><table border="1"> <thead> <tr> <th>LENGTH</th> <th>FINISH</th> </tr> </thead> <tbody> <tr> <td>8'</td> <td>BC, SS</td> </tr> <tr> <td>12'</td> <td>BC, SS</td> </tr> </tbody> </table> | LENGTH | FINISH | 8'  | BC, SS      | 12' | BC, SS |
| LENGTH             | FINISH      |   |        |        |     |             |     |        |
| 8'                 | BC, SS      |   |        |        |     |             |     |        |
| 12'                | BC, SS      |   |        |        |     |             |     |        |
| <b>HEADER</b>      |             |   |        |        |     |             |     |        |
|                    | CP 0308     | HEADER<br><table border="1"> <thead> <tr> <th>LENGTH</th> <th>FINISH</th> </tr> </thead> <tbody> <tr> <td>12'</td> <td>BC, SS</td> </tr> </tbody> </table>  | LENGTH | FINISH | 12' | BC, SS      |     |        |
| LENGTH             | FINISH      |   |        |        |     |             |     |        |
| 12'                | BC, SS      |   |        |        |     |             |     |        |
| <b>RUB RAIL</b>    |             |   |        |        |     |             |     |        |
|                    | BM 3004     | ALUMINUM RUB RAIL WITH 5/16" LIP AND A 1 1/4" HEIGHT<br><table border="1"> <thead> <tr> <th>LENGTH</th> <th>FINISH</th> </tr> </thead> <tbody> <tr> <td>12'</td> <td>AN</td> </tr> </tbody> </table>                                | LENGTH | FINISH | 12' | AN          |     |        |
| LENGTH             | FINISH      |   |        |        |     |             |     |        |
| 12'                | AN          |   |        |        |     |             |     |        |
|                    | BM 3005     | HIGH PROFILE VINYL INSERT FOR BM3004<br><table border="1"> <thead> <tr> <th>LENGTH</th> <th>FINISH</th> </tr> </thead> <tbody> <tr> <td>12'</td> <td>VINYL BLACK</td> </tr> </tbody> </table>                                       | LENGTH | FINISH | 12' | VINYL BLACK |     |        |
| LENGTH             | FINISH      |   |        |        |     |             |     |        |
| 12'                | VINYL BLACK |   |        |        |     |             |     |        |
| <b>AWNING RAIL</b> |             |   |        |        |     |             |     |        |
|                    | BM 3078     | ALUMINUM AWNING RAIL 3/8" I.D.<br><table border="1"> <thead> <tr> <th>LENGTH</th> <th>FINISH</th> </tr> </thead> <tbody> <tr> <td>12'</td> <td>AN</td> </tr> </tbody> </table>  | LENGTH | FINISH | 12' | AN          |     |        |
| LENGTH             | FINISH      |   |        |        |     |             |     |        |
| 12'                | AN          |   |        |        |     |             |     |        |

FINISHES: AN-Anodized, BC-Brite Clear, BK-Brite Black, BS-Brass, BZ-Bronze, ML-Mill, SB-Satin Black, SS-Stainless Steel Brushed

CUSTOMER SERVICE • PHONE: 888-501-8689 FAX: (416) 798-1094



| DRAWING              | PART NUMBER | DESCRIPTION   |
|----------------------|-------------|---|
| <b>SLIDING TRACK</b> |             |   |
|                      | BM 3084     | ALUMINUM SLIDING TRACK<br><u>LENGTH</u> <u>FINISH</u><br>12'                                      AN                    |
| <b>SCREEN DOOR</b>   |             |   |
|                      | EM 3150     | SCREEN DOOR EXTRUSION 1" HEIGHT<br><u>LENGTH</u> <u>FINISH</u><br>12'                                      BROWN, WHITE |
| <b>CHALK TRAY</b>    |             |   |
|                      | FR 7255     | ALUMINUM CHALK TRAY RAIL 3 1/2"<br><u>LENGTH</u> <u>FINISH</u><br>12'                                      AN           |

FINISHES: AN-Anodized, BC-Brite Clear, BK-Brite Black, BS-Brass, BZ-Bronze, ML-Mill, SB-Satin Black, SS-Stainless Steel Brushed

CUSTOMER SERVICE • PHONE: 888-501-8689 FAX: (416) 798-1094