






EXTRUDE•A•TRIM
The Aluminum Warehouse

ALUMINUM EXTRUSIONS


For Barrier/Sneeze
Guard Protection



RIGHT SHAPES

RIGHT PRICE

RIGHT NOW



Terms and Conditions of Sale

1. Orders

- a. All orders are accepted and delivered only subject to these Terms and Conditions of Sale. Should there exist a contradiction between the Customer's and Extrude-A-Trim's Terms and Conditions of Sale, Extrude-A-Trim's Terms and Conditions of Sale will govern;
- b. Prices are subject to change without notice. All taxes are in addition to the selling price;
- c. Extrude-A-Trim means Extrude-A-Trim Inc. and Customer means the purchaser of the goods.

2. Title/Risk of Loss/Insurance


Title to and risk of loss of the goods shall pass from Extrude-A-Trim to Customer when the goods, whether manufactured by Extrude-A-Trim or another, are placed in the possession of the carrier for shipment to Customer. Prior to shipment, Customer shall ensure that the goods are adequately insured from the time the risk of loss passes to Customer and continuously thereafter until all amounts due Extrude-A-Trim are paid in full. Customer grants a security interest in the goods until all unpaid amounts owing to Extrude-A-Trim have been paid.

3. Customer's Remedy

Extrude-A-Trim's sole responsibility and liability and Customer's exclusive remedy shall be limited to the repair or replacement of goods or, at Extrude-A-Trim's option, return of the goods and refund of moneys paid thereon, without interest. IN NO EVENT SHALL EXTRUDE-A-TRIM BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES OR LEGAL FEES. Extrude-A-Trim's obligation hereunder is subject to receipt of written notice of defect from Customer within thirty (30) days after such alleged defect shall be reasonably apparent to Customer. If the written notice is not given within the prior time period, then remedy of the Customer, whether under these Terms and Conditions or under any other right shall end.

4. Custom Orders

- a. "Custom Order" means any goods ordered or manufactured by Extrude-A-Trim for the Customer for the Customer's specific needs, including but not limited to fabricated material such as anodizing, painting, punching, bending, cutting and/or drilling;
- b. All orders of 500 kgs and over are subject to a shipping tolerance of plus or minus 15%. If Customer requests in writing: Do not under ship or other similar words, then the order will be subject to a shipping tolerance of as much as plus 20%. If Customer requests in writing: Do not over ship or other similar words, then the order will be subject to a shipping tolerance of as much as minus 20%. Customer agrees that a shipment within these tolerances is fulfillment by Extrude-A-Trim of the order;
- c. The buyer understands that all dies, tools, jigs, machinery and fixtures, are the seller's property and remain in the seller's possession even though the buyer is charged for such items. The charge is for the exclusive use of these items only. The seller will maintain these items for a period of 1 year after the completion of the most recent order provided the buyer does not become insolvent, bankrupt, make an assignment to creditors, let its credit account become in arrears or stop making current purchases. After 1 year from completion of the most current order on any particular tool, the seller may destroy or otherwise use these items without reference or accounting to the buyer;
- d. The Customer and Extrude-A-Trim agree that the price shall be increased or decreased proportionately within the shipping tolerances;
- e. The Customer agrees that any Custom Order cannot be returned and Customer cannot refuse to accept any Custom Order.



Terms and Conditions of Sale

5. Delay or Nonperformance

Extrude-A-Trim shall not be liable for failure or delay in its performance hereunder due in whole or in part to strikes, work stoppages, fires, acts of terrorism, accidents, acts, rebellions, civil commotion, public strife, acts of any government whether legal or otherwise, acts of public enemies, force majeure, inability to secure or delay in securing transportation, inability to obtain or delays in obtaining goods, materials, or qualified labor, or any other causes beyond Extrude-A-Trim's reasonable control including, without limitation, delays or inability to obtain product because of the actions of Extrude-A-Trim supplier.

6. Default

Customer shall be in default under this Agreement if any of the following occurs:

- a. Customer refuses to accept shipment or fails to make any payment when due;
- b. Customer dies, ceases to exist, becomes insolvent or the subject of bankruptcy, insolvency, or liquidation proceedings;
- c. Any representation, warranty, condition or certification of Customer or any information provided by Customer in or pursuant to this Agreement is false in any material respect when made;
- d. Extrude-A-Trim, in good faith, considers that payment or performance of any obligation of Customer to Extrude-A-Trim arising out of this Agreement or any other agreement between Customer and Extrude-A-Trim or any affiliate of Extrude-A-Trim is at risk.

7. Remedies Upon Default

In the event of Customer's default:


- a. Customer shall pay Extrude-A-Trim interest at the rate of 24% per annum on all unpaid amounts and all unpaid amounts shall be immediately due and payable;
- b. Extrude-A-Trim may take immediate possession of any of the goods and may suspend or cancel shipments to Customer;
- c. Waiver, whether in writing or not, by Extrude-A-Trim of any breach or default shall not constitute a waiver of any subsequent breach or default;
- d. Extrude-A-Trim shall be entitled to set off any amount owed by Customer or any of Customer's related entities against amount owed by Customer or any of Customer's related entities against any amount owing or to be owed by Extrude-A-Trim to Customer; and
- e. Extrude-A-Trim shall have all the rights and remedies provided by law in addition to all other rights as established herein, which rights and remedies shall be cumulative.

8. Warranty

EXTRUDE-A-TRIM MAKES NO OTHER REPRESENTATIONS OR WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, EXCEPT AS PROVIDED IN WRITING SIGNED BY AN AUTHORIZED REPRESENTATIVE OF EXTRUDE-A-TRIM AND SPECIFICALLY EXCLUDES ALL LEGAL OR IMPLIED WARRANTIES INCLUDING, WITHOUT LIMITATION, ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Customer shall hold Extrude-A-Trim harmless and indemnify Extrude-A-Trim for any claims arising out of or relating to the design, specification or use of product sold by Extrude-A-Trim.

9. General

- a. Interest shall be charged at the rate of 24% annually (similar to 2% monthly) on all over due accounts.
- b. **Dispute Resolution/Governing Law** The validity, construction, and enforcement of this Agreement are covered by the laws of the Province of Ontario, Canada and the parties agree that the Province of Ontario is the sole jurisdiction where any court or other action shall be started. Customer must institute any action against Extrude-A-Trim within one (1) year after Customer's claim arises, or, subject to applicable law, such claim shall be barred notwithstanding any statutory limitations to the contrary.
- c. Extrude-A-Trim may assign its rights and obligations under these Terms and Conditions of sale or any agreement, whether oral or in writing, between the Customer and Extrude-A-Trim, while the Customer may assign its rights and obligations only with the written consent of Extrude-A-Trim.




DRAWING	PART NUMBER	DIMENSIONS				LENGTH	FINISH
		E	A	T	I/R		
CHANNEL - Architectural							
	IE 1605	1/4"	1/4"	1/16"	0.125"	12'	AN, ML
	IE 1610	3/8"	3/8"	1/16"	1/4"	8'	AN, BC, SS
	IE 1611	3/8"	1/2"	1/16"	0.375"	12'	AN, BC, BS, SS
	IE 1612	1/2"	3/8"	0.045"	0.270"	12'	AN
	IE 1613	1 1/4"	1/2"	1/16"	3/8"	12'	AN, BC, SS
	IE 1614	1/2"	1/2"	1/16"	3/8"	12'	AN
	IE 1615	3/4"	0.524"	1/16"	0.398"	8', 12'	AN, BC
	IE 1616	5/8"	5/8"	1/16"	1/2"	12'	AN, BC, BZ, SB
	IE 1618	5/8"	7/8"	1/16"	3/4"	21'	ML

DRAWING	PART NUMBER	DESCRIPTION
DIVIDER		
	FR 0431	ALUMINUM DIVIDER FOR 5/32" MATERIAL <u>LENGTH</u> <u>FINISH</u> 12' AN
	FR 1131	ALUMINUM DIVIDER FOR 1/2" MATERIAL <u>LENGTH</u> <u>FINISH</u> 12' AN
	FR 2131	ALUMINUM DIVIDER FOR 1/4" MATERIAL <u>LENGTH</u> <u>FINISH</u> 12' AN, BC, BS, SB

NOTE: All 20' & 21' material requires a minimum order weight of 22 lb per item.

FINISHES: AN-Anodized, BC-Brite Clear, BS-Brass, BZ-Bronze, ML-Mill, SB-Satin Black, SS-Stainless Steel Brushed






DRAWING	PART NUMBER	DESCRIPTION				
DIVIDER						
	FR 6131	ALUMINUM DIVIDER FOR 5/16" MATERIAL <table border="1"> <tr> <th>LENGTH</th> <th>FINISH</th> </tr> <tr> <td>12'</td> <td>AN</td> </tr> </table>	LENGTH	FINISH	12'	AN
LENGTH	FINISH					
12'	AN					
CORNER MOULDING						
	FR 5130	ALUMINUM O/S & I/S CORNER MOULDING FOR 1/4" MATERIAL <table border="1"> <tr> <th>LENGTH</th> <th>FINISH</th> </tr> <tr> <td>12'</td> <td>AN, BC, BS</td> </tr> </table>	LENGTH	FINISH	12'	AN, BC, BS
LENGTH	FINISH					
12'	AN, BC, BS					
	FR 5140	ALUMINUM 90° CORNER MOULDING FOR 5/16" MATERIAL <table border="1"> <tr> <th>LENGTH</th> <th>FINISH</th> </tr> <tr> <td>12'</td> <td>AN, BC</td> </tr> </table>	LENGTH	FINISH	12'	AN, BC
LENGTH	FINISH					
12'	AN, BC					
	FR 7130	ALUMINUM FIXED GLASS MOULDING FOR 1/4" MATERIAL <table border="1"> <tr> <th>LENGTH</th> <th>FINISH</th> </tr> <tr> <td>12'</td> <td>AN, BC, BS</td> </tr> </table>	LENGTH	FINISH	12'	AN, BC, BS
LENGTH	FINISH					
12'	AN, BC, BS					
SHOE						
	FR 3618	SHOE TRACK - USE WITH FR 3700TP, FR 3615 OR FR 3617 <table border="1"> <tr> <th>LENGTH</th> <th>FINISH</th> </tr> <tr> <td>12'</td> <td>AN</td> </tr> </table>	LENGTH	FINISH	12'	AN
LENGTH	FINISH					
12'	AN					

FINISHES: AN-Anodized, BC-Brite Clear, BS-Brass, ML-Mill, SB-Satin Black, SS-Stainless Steel Brushed

CUSTOMER SERVICE • PHONE: 888-501-8689 FAX: (416) 798-1094

06/20


info@extrude-a-trim.com www.extrude-a-trim.com



DRAWING	PART NUMBER	DESCRIPTION
GLASS RAILING SYSTEM		
	FR 9471	VINYL GASKET FOR SHOE BASE FR 9475 AVAILABLE IN BLACK SOLD PER FOOT
	FR 9475	HOLLOW SHOE BASE USE WITH FR 9471 GASKET LENGTH FINISH 10' ML
	FR 9480	CHANNEL 1 5/8" x 1 5/8" x 1/8" LENGTH FINISH 12' AN
	FR 9481BK	VINYL GASKET FOR FR 9480 CHANNEL AVAILABLE IN BLACK SOLD PER FOOT
	IE 1460	CLADDING FOR FR 9475 LENGTH FINISH 10' BC, SS
EX SIGN		
	SE 1005	F-CHANNEL EX-5 1 1/2" x 1" x 1/4" SLOT LENGTH FINISH 24'-3" (291") AN, ML

FINISHES: AN-Anodized, BC-Brite Clear, ML-Mill, SS-Stainless Steel Brushed

©2020 All drawings and part numbers are the property of Extrude-A-Trim, and may not be copied or reproduced or altered in any way without the expressed written approval of Extrude-A-Trim.



PRODUCT	DESCRIPTION	PART NUMBER	SIZE
Mitrebond Adhesive with Aerosol Activator			
	<p>Unika Mitrebond is a high viscosity, fast curing superglue adhesive which provides tough, durable high-performance bonds.</p> <ul style="list-style-type: none"> • Compatible with most building materials, porous and non-porous • Low odour • Adheres aluminum to aluminum, timber, medium density fibreboard, glass, ceramics, chipboard, steel, porcelain, some plastics and more 	GA 1000	200 ml. aerosol, 1.5 fl. oz. adhesive
		GA 1010	400 ml. aerosol, 3.0 fl. oz. adhesive
Power Grip Double-Sided Adhesive Tape			
	<p>EVERBUILD Mammoth Tape is a polyester fabric re-enforced double-sided tape with a powerful synthetic rubber/resin adhesive.</p> <ul style="list-style-type: none"> • Designed for bonding almost any material • Can be used indoors and outdoors • Totally weatherproof • High bond strength • Will stick aluminum to all metals, ceramics, wood, glass, plastics, brickwork, PVC, etc. 	GA 2000	0.5" x 8 ft.
		GA 2010	1" x 8 ft.
General Purpose Silicone			
	<p>EVERBUILD General Purpose Silicone is a multi-purpose, acetoxycure, silicone sealant and adhesive.</p> <ul style="list-style-type: none"> • Cures quickly • High strength waterproof seal • Contains a fungicide to prevent in product mould growth • Useful for securing aluminum to glass, metal and plastic 	GA 3000	310 ml.
Stixall Adhesive and Sealant			
	<p>EVERBUILD Stixall is a one part, chemically curing, solvent free sealant and adhesive.</p> <ul style="list-style-type: none"> • Has the best qualities of both polyurethane and silicone • Bonds aluminum to virtually all materials, porous and non-porous, such as glass, marble, granite, mirrors, bricks, stone, plasterboard, concrete, all metals, hard plastic, ceramics, fiberglass, timber and more 	GA 4000	300 ml.